

APRIL 26, 2010

# Northern Parkway

FINAL DESIGN CONCEPT REPORT  
VOLUME I

FHWA Project No.: STP-MMA-0(034)N  
ADOT TRACS No.: 0000 MA MMA SS593 01C

Prepared for:  
City of Glendale  
Transportation Department

In Cooperation with:  
City of Peoria  
City of El Mirage  
Maricopa County  
Arizona Department of Transportation  
Luke Air Force Base

**URS**



**Final  
Design Concept Report  
for  
Northern Parkway**

**Volume I**

**April 26, 2010**

FHWA Project No.: STP MMA-0(034)N  
ADOT TRACS No.: 0000 MA MMA SS593 01C

Prepared for:

**City of Glendale  
Transportation Department**

In Cooperation with:

**City of Peoria  
City of El Mirage  
Maricopa County  
Arizona Department of Transportation  
Luke Air Force Base**

Prepared by

**URS**




## TABLE OF CONTENTS

### VOLUME 1


	<u>Page</u>
EXECUTIVE SUMMARY .....	X
1.0 INTRODUCTION .....	1-1
1.1 FOREWORD .....	1-1
1.2 PROJECT LOCATION AND SETTING .....	1-2
1.3 DESCRIPTION OF THE PROJECT .....	1-4
1.4 PURPOSE AND NEED FOR PROJECT .....	1-8
1.4.1 Need for the Project .....	1-8
1.4.2 Serve Population Growth .....	1-8
1.4.3 Improve Travel Time .....	1-10
1.4.4 Provide Regional Connectivity .....	1-11
1.4.5 Improve Regional Facility Spacing .....	1-11
1.4.6 Provide Agua Fria River Crossing .....	1-12
1.4.7 Improve East-West Street Traffic Flow .....	1-12
1.4.8 Implement Regional and Local Plans .....	1-14
1.4.9 Reduce Crash Rates .....	1-15
1.5 CHARACTERISTICS OF THE CORRIDOR .....	1-16
1.5.1 Jurisdictional Boundaries .....	1-16
1.5.2 Existing Land Uses .....	1-16
1.5.3 Planned New Development .....	1-21
1.5.4 Existing Roadway Characteristics .....	1-21
1.5.5 Planned Functional Classifications .....	1-22
1.5.6 Related Planned Road Improvements .....	1-22
1.5.7 Other Related Planned Improvements .....	1-25
1.6 PRIOR STUDIES AND SUPPORTING DOCUMENTS .....	1-25
2.0 TRAFFIC ANALYSIS .....	2-1
2.1 EXISTING TRAFFIC DATA .....	2-1
2.2 CRASH DATA .....	2-1
2.2.1 Crash History .....	2-1
2.2.2 Safety Benefits of Improvements .....	2-5
2.3 GROWTH AND TRAFFIC FORECASTS .....	2-6
2.4 FORECASTED TRAFFIC VOLUMES .....	2-7
2.4.1 2030 Alternative 1 – Northern Avenue Alignment, Option 1 (with two traffic signals) .....	2-7
2.4.2 2030 Alternative 2 – Northern Avenue Alignment, Option 2 (no traffic signals) .....	2-11





2.4.3	2030 Alternative 3 - Southern Alignment.....	2-11
2.4.4	2030 No Build Alternative.....	2-11
2.4.5	Build and No Build Volume-to-Capacity Analysis .....	2-19
2.5	TRADITIONAL TRAFFIC OPERATIONAL ANALYSIS .....	2-21
2.5.1	Alternative 1 Roadway Operation Analysis .....	2-21
2.5.2	Alternative 1 Signalized Intersection Operations Analysis .....	2-22
2.5.3	Alternative 1 Weaving Areas and Ramp Junction Analysis .....	2-24
2.5.4	Alternative 2 Roadway Operation Analysis .....	2-25
2.5.5	Alternative 2 Signalized Intersection Operations Analysis .....	2-25
2.5.6	Alternative 2 Weaving Areas and Ramp Junction Analysis .....	2-27
2.5.7	Alternative 3 Roadway Operation Analysis .....	2-29
2.5.8	Alternative 3 Signalized Intersection Operations Analysis .....	2-29
2.5.9	Alternative 3 Weaving Area and Ramp Junction Analysis .....	2-30
2.6	TURNING LANE ANALYSIS .....	2-32
3.0	LOCATION ANALYSIS .....	3-1
3.1	SELECTION OF NORTHERN AVENUE CORRIDOR.....	3-1
3.2	ALTERNATIVE ALIGNMENTS FROM LOOP 303 TO DYSART ROAD ....	3-2
3.3	SOUTHERN ALTERNATIVE ALIGNMENT .....	3-3
4.0	DESIGN CONCEPT ALTERNATIVES.....	4-1
4.1	SR 303L/NORTHERN PARKWAY SYSTEM INTERCHANGE OPTIONS ...	4-1
4.1.1	SR 303L – I-10 to US 60 DCR Option .....	4-1
4.1.2	SR 303L – I-10 to US 60 Final Design.....	4-1
4.2	GRADE SEPARATED INTERSECTION OPTIONS .....	4-4
4.2.1	Grade Separated Intersection Concept.....	4-4
4.2.2	Northern Parkway West.....	4-4
4.2.3	Northern Parkway East .....	4-4
4.3	BNSF WEBB SPUR CROSSING OPTIONS .....	4-4
4.4	AGUA FRIA RIVER BRIDGE OPTIONS .....	4-5
4.4.1	2003 DCR Option .....	4-6
4.4.2	Bridge Floodplain Option .....	4-6
4.4.3	Watercourse Master Plan River Channelization Option.....	4-6
4.4.4	Watercourse Master Plan River Channelization Option – Glendale Avenue to Northern Parkway.....	4-7
4.4.5	Minimum Channelization Option – Glendale Avenue to Northern Parkway.....	4-7
4.4.6	Low Flow Option .....	4-7
4.4.7	Recommendation .....	4-8

4.5	MEDIAN OPTIONS.....	4-8
4.5.1	Sarival Avenue to 115 <sup>th</sup> Avenue .....	4-9
4.5.2	115 <sup>th</sup> Avenue to Grand Avenue .....	4-9
4.6	TRAFFIC SIGNAL OPTIONS .....	4-9
4.6.1	Initial Concept.....	4-9
4.6.2	2006 Concept .....	4-9
4.6.3	El Mirage Concept.....	4-11
4.7	115 <sup>TH</sup> AVENUE TO 103 <sup>RD</sup> AVENUE OPTIONS .....	4-12
4.7.1	Option 1 .....	4-12
4.7.2	Option 2 .....	4-14
4.8	103 <sup>RD</sup> AVENUE TO 91 <sup>ST</sup> AVENUE OPTIONS.....	4-16
4.9	ALTERNATIVE ACCESS STREETS.....	4-17
4.9.1	127 <sup>th</sup> Avenue/Butler Drive Extension.....	4-17
4.9.2	115 <sup>th</sup> Avenue/Butler Drive (Option 2 Only).....	4-17
4.9.3	Royal Palm Road – 111 <sup>th</sup> Lane to 111 <sup>th</sup> Avenue (Option 1 Only).....	4-19
4.9.4	Royal Palm Road – 108 <sup>th</sup> Drive to 107 <sup>th</sup> Avenue .....	4-19
4.9.5	Augusta Avenue – West of 107 <sup>th</sup> Avenue.....	4-19
4.9.6	Orangewood Avenue – 107 <sup>th</sup> Avenue to Glen Harbor Boulevard .....	4-19
4.9.7	Hayward Avenue – 91 <sup>st</sup> Avenue to 89 <sup>th</sup> Avenue.....	4-20
4.9.8	Griswold Road – 87 <sup>th</sup> Avenue to 83 <sup>rd</sup> Avenue.....	4-20
4.9.9	SRP Access – East of 75 <sup>th</sup> Avenue .....	4-20
4.10	GRAND AVENUE/NORTHERN AVENUE INTERSECTION OPTIONS ....	4-20
4.11	NORTHERN PARKWAY ALTERNATIVES.....	4-21
4.11.1	Alternative 1 – Northern Avenue Alignment Option 1 (with two traffic signals) .....	4-21
4.11.2	Alternative 2 – Northern Avenue Alignment Option 2 (no traffic signals).....	4-24
4.11.3	Alternative 3 – Southern Alignment.....	4-24
4.11.4	No Build Alternative.....	4-25
4.11.5	Purpose and Need Evaluation .....	4-25
4.11.6	Other Evaluation Factors .....	4-28
4.11.7	Selected Alternative.....	4-37
5.0	MAJOR DESIGN FEATURES OF THE SELECTED ALTERNATIVE .....	5-1
5.1	INTRODUCTION .....	5-1
5.2	DESIGN CONTROLS.....	5-1
5.2.1	Northern Parkway West.....	5-2
5.2.2	Northern Parkway East .....	5-4
5.2.3	Northern Parkway (Bypass).....	5-6





5.2.4	Northern Parkway (Grand Flyover) .....	5-7
5.2.5	Northern Avenue.....	5-8
5.2.6	Grand Avenue (US 60) .....	5-11
5.2.7	Intersecting Arterial Streets .....	5-12
5.2.8	Neighborhood Access Streets .....	5-13
5.3	HORIZONTAL AND VERTICAL ALIGNMENTS .....	5-14
5.3.1	Horizontal Alignment .....	5-14
5.3.2	Vertical Alignment.....	5-15
5.4	ACCESS CONTROL.....	5-17
5.4.1	Northern Parkway West.....	5-17
5.4.2	Northern Parkway East .....	5-18
5.4.3	Northern Parkway Bypass and Flyover .....	5-18
5.4.4	Northern Avenue and Grand Avenue Connector Roadways .....	5-18
5.5	RIGHT-OF-WAY .....	5-19
5.5.1	Northern Parkway West.....	5-19
5.5.2	Northern Parkway East .....	5-20
5.5.3	Northern Parkway Bypass.....	5-21
5.5.4	Northern Parkway/Grand Avenue Flyover .....	5-21
5.5.5	Intersecting Arterial Streets .....	5-21
5.5.6	Neighborhood Access Streets .....	5-22
5.6	DRAINAGE.....	5-22
5.6.1	Drainage Analysis Criteria and Standards .....	5-22
5.6.2	Watersheds.....	5-23
5.6.3	Western Watershed Existing Drainage .....	5-23
5.6.4	Western Watershed Planned ADMP Drainage .....	5-23
5.6.5	Western Watershed Hydrology Modifications .....	5-24
5.6.6	Western Watershed Proposed Drainage.....	5-24
5.6.7	Agua Fria River Bridge.....	5-26
5.6.8	Central Watershed Existing Drainage.....	5-26
5.6.9	Central Watershed Hydrology .....	5-26
5.6.10	Central Watershed Proposed Drainage .....	5-26
5.6.11	New River Bridges.....	5-28
5.6.12	Eastern Watershed Existing Drainage .....	5-28
5.6.13	Eastern Watershed Hydrology .....	5-29
5.6.14	Eastern Watershed Proposed Drainage.....	5-29
5.7	FLOODPLAIN CONSIDERATIONS.....	5-31
5.7.1	Mapped floodplains .....	5-31
5.7.2	Planned Regional Drainage Alterations.....	5-31

5.8	UTILITIES.....	5-34
5.8.1	Loop 303 to Dysart Road.....	5-34
5.8.2	Dysart Road to El Mirage Road.....	5-35
5.8.3	El Mirage Road to 115 <sup>th</sup> Avenue.....	5-35
5.8.4	115 <sup>th</sup> Avenue to 103 <sup>rd</sup> Avenue.....	5-35
5.8.5	103 <sup>rd</sup> Avenue to 91 <sup>st</sup> Avenue.....	5-35
5.8.6	83 <sup>rd</sup> Avenue Segment.....	5-36
5.8.7	75 <sup>th</sup> Avenue Segment.....	5-36
5.8.8	Grand Avenue Segment.....	5-36
5.9	IRRIGATION.....	5-36
5.9.1	Sarival Avenue to El Mirage Road.....	5-36
5.9.2	99 <sup>th</sup> Avenue to 67 <sup>th</sup> Avenue.....	5-37
5.10	TRAFFIC MANAGEMENT.....	5-37
5.10.1	ITS Facilities.....	5-37
5.10.2	Traffic Signal Coordination.....	5-38
5.10.3	Change of Speed Between West Segment to East Segment.....	5-39
5.11	LIGHTING.....	5-40
5.11.1	Sarival Avenue to 115 <sup>th</sup> Avenue.....	5-40
5.11.2	115 <sup>th</sup> Avenue to Grand Avenue.....	5-41
5.12	STRUCTURES.....	5-41
5.12.1	Structure Type Considerations.....	5-42
5.12.2	One-Span Single Point Urban Interchange Overpasses.....	5-43
5.12.3	Sarival Avenue and Reems Road GSI Overpasses.....	5-44
5.12.4	BNSF Overpass.....	5-45
5.12.5	Litchfield Road GSI Overpass.....	5-46
5.12.6	Agua Fria River Bridge.....	5-47
5.12.7	103 <sup>rd</sup> Avenue GSI Underpass.....	5-48
5.12.8	New River/EB Northern Avenue/99 <sup>th</sup> Avenue.....	5-50
5.12.9	EB Northern Avenue New River Bridge.....	5-51
5.12.10	97 <sup>th</sup> Avenue Overpass.....	5-52
5.12.11	SB SR 101L On-Ramp Overpass.....	5-52
5.12.12	SR 101L Overpass.....	5-53
5.12.13	NB SR 101L Off-Ramp Overpass.....	5-54
5.12.14	EB Northern Avenue Overpass.....	5-54
5.12.15	93 <sup>rd</sup> Avenue Ramp A.....	5-55
5.12.16	93 <sup>rd</sup> Avenue Ramp B.....	5-56
5.12.17	Grand Avenue Flyover.....	5-56
5.13	GEOTECHNICAL STUDY AND PAVEMENT DESIGN.....	5-57
5.13.1	Summary Results of the Geotechnical Study.....	5-57





5.13.2	Bridge Foundation .....	5-58
5.13.3	MSE Backfill Soil Requirements.....	5-62
5.13.4	Pavement Design .....	5-62
5.13.5	Earthwork.....	5-67
5.13.6	Slope Design .....	5-68
5.13.7	Channel Design.....	5-68
5.13.8	Special Geotechnical Engineering Issues and Goals .....	5-69
5.14	CONSTRUCTABILITY AND TRAFFIC CONTROL.....	5-72
5.14.1	Loop 303 to Dysart Road.....	5-72
5.14.2	Dysart Road to 111 <sup>th</sup> Avenue.....	5-73
5.14.3	111 <sup>th</sup> Avenue to Loop 101 .....	5-75
5.14.4	Loop 101 to Grand Avenue.....	5-76
5.14.5	Construction Staging Areas .....	5-77
6.0	PROJECT COST ESTIMATES .....	6-1
6.1	BASIS OF COST ESTIMATE .....	6-1
6.1.1	Construction Costs .....	6-1
6.1.2	Design Costs .....	6-2
6.1.3	Right-of-Way Costs .....	6-2
6.2	ULTIMATE CONCEPT COST ESTIMATE.....	6-3
7.0	SOCIAL, ECONOMIC, AND ENVIRONMENTAL CONSIDERATIONS.....	7-1
7.1	INTRODUCTION .....	7-1
7.2	MITIGATION MEASURES .....	7-1
7.2.1	Maricopa County Department of Transportation Design Responsibilities .....	7-1
7.2.2	Maricopa County Department of Transportation Construction Responsibilities .....	7-3
7.2.3	Contractor Responsibilities.....	7-4
7.2.4	Standard Specifications Included as Mitigation Measures .....	7-8
8.0	PUBLIC AND AGENCY INVOLVEMENT PROCESS.....	8-1
8.1	NOTIFICATION .....	8-1
8.2	PUBLIC MEETINGS .....	8-2
8.3	NEIGHBORHOOD MEETINGS .....	8-3
8.4	PUBLIC HEARING .....	8-4
8.5	SUMMARY OF PUBLIC ISSUES AND CONCERNS .....	8-4
8.6	AGENCY INVOLVEMENT.....	8-5

## LIST OF TABLES



Table 1-1	Regional Population Growth Projections.....	1-9
Table 1-2	Signal Spacing and Crash Rates .....	1-15
Table 1-3	Planned New Development.....	1-21
Table 1-4	Intersecting Street Functional Classifications.....	1-22
Table 2-1	Collision Manner Summary for Northern Avenue .....	2-3
Table 2-2	Collision Type Summary for Northern Avenue.....	2-3
Table 2-3	Collision Severity Summary for Northern Avenue .....	2-4
Table 2-4	Northern Avenue Accident Rates .....	2-4
Table 2-5	Evaluation of Safety Improvements.....	2-5
Table 2-6	Crashes by Number of Lanes.....	2-6
Table 2-7	No Build Volume-to-Capacity Comparison .....	2-20
Table 2-8	No Build Level of Service Comparison.....	2-21
Table 2-9	Northern Parkway Free Flow Mainline Sections – 2030 Alternative 1 Operations Summary .....	2-22
Table 2-10	2030 Alternative 1 Signalized Intersection Operations Summary.....	2-23
Table 2-11	2030 Alternative 1 Merge/Diverge and Weaving Analyses .....	2-24
Table 2-12	Northern Parkway Free Flow Sections – 2030 Alternative 2 Operations Summary .....	2-25
Table 2-13	2030 Alternative 2 Signalized Intersection Operations Summary.....	2-27
Table 2-14	2030 Alternative 2 Merge/Diverge and Weaving Analyses .....	2-28
Table 2-15	Northern Parkway Free Flow Sections – 2030 Alternative 3 Operations Summary .....	2-29
Table 2-16	2030 Alternative 3 Signalized Intersection Operations Summary.....	2-30
Table 2-17	2030 Alternative 3 Merge/Diverge and Weaving Analyses .....	2-31
Table 2-18	Intersecting Arterial Turning Lane Storage Length Recommendations .....	2-33
Table 2-19	Northern Parkway/Ramp Turning Lane Storage Length Recommendations ....	2-34
Table 4-1	Comparison of Alternatives Purpose and Need Evaluation.....	4-26
Table 4-2	Comparison of Alternatives Other Factors .....	4-29
Table 4-3	Alternative 1 and 2 Anticipated House and Business Relocations .....	4-33
Table 4-4	Alternative 1 and 2 List of Entire Parcels Required for Right-of-Way .....	4-34
Table 4-5	Alternative 3 Anticipated House and Business Relocations.....	4-35
Table 4-6	Alternative 3 List of Entire Parcels Required for Right-of-Way.....	4-35
Table 5-1	Northern Parkway West Design Standards – Sarival Avenue to 115 <sup>th</sup> Avenue .	5-3
Table 5-2	Northern Parkway East Design Standards – 115 <sup>th</sup> Avenue to 103 <sup>rd</sup> Avenue and 91 <sup>st</sup> Avenue to 71 <sup>st</sup> Avenue .....	5-5
Table 5-3	Northern Parkway (Bypass) Design Standards – 103 <sup>rd</sup> Avenue to 91 <sup>st</sup> Avenue.	5-6

Table 5-4	Northern Parkway (Grand Flyover) Design Standards – 71 <sup>st</sup> Avenue to Grand Avenue .....	5-8
Table 5-5	Northern Avenue Design Standards – 103 <sup>rd</sup> Avenue to 91 <sup>st</sup> Avenue and 71 <sup>st</sup> Avenue to 65 <sup>th</sup> Avenue .....	5-9
Table 5-6	Grand Avenue (US 60) Design Standards .....	5-11
Table 5-7	Intersecting Arterial Street Typical Section and Lane Configuration .....	5-12
Table 5-8	Neighborhood Access Streets Typical Sections and Design Standards.....	5-13
Table 5-9	Intersecting Arterial Street Right-of-Way Width .....	5-21
Table 5-10	Neighborhood Access Streets Right-of-Way Requirements.....	5-22
Table 5-11	Rainfall Design Criteria .....	5-22
Table 5-12	Structure Summary .....	5-41
Table 5-13	Parameters for Lateral Load Analysis.....	5-59
Table 5-14	Maximum Allowable Bearing Pressure for Spread Footings at Bridge Structures .....	5-60
Table 5-15	Recommended Gradation for MSE Wall Backfill Soil.....	5-62
Table 5-16	Design Traffic Loads .....	5-63
Table 5-17	Preliminary Rigid Pavement Structural Sections.....	5-65
Table 5-18	Preliminary Flexible Pavement Structural Sections .....	5-66
Table 5-19	Recommended Pavement Structure – Sarival to 115 <sup>th</sup> Avenue .....	5-66
Table 5-20	Recommended Pavement Structure –115 <sup>th</sup> Avenue to Grand (US 60).....	5-67
Table 5-21	Assumed Pavement Sections .....	5-67
Table 6-1	Alternative 1 Estimated Cost (2009 Dollars).....	6-3

## LIST OF FIGURES

Figure ES-1	Prototype Grade-Separated Intersection .....	xiii
Figure ES-2	Overview of Proposed Northern Parkway Concept.....	xiv
Figure 1-1	Project Vicinity Map.....	1-3
Figure 1-2	Project Limits.....	1-5
Figure 1-3	Overview of the Northern Parkway Concept.....	1-6
Figure 1-4	Population Growth .....	1-10
Figure 1-5	Regional Connectivity .....	1-11
Figure 1-6	Agua Fria River Crossings.....	1-13
Figure 1-7	Disconnected System .....	1-14
Figure 1-8	Municipal Jurisdictional Boundaries .....	1-17
Figure 1-9	School Boundaries Map.....	1-18
Figure 1-10	Existing Land Use Map .....	1-19
Figure 2-1	Existing Traffic Conditions.....	2-2
Figure 2-2	Accidents per Median Type .....	2-6



Figure 2-3	2030 Alternative 1 Daily Traffic Projections.....	2-8
Figure 2-4	2030 Alternative 1 Daily Traffic Projections (continued) .....	2-9
Figure 2-5	2030 Alternative 1 Daily Traffic Projections at Grand Avenue .....	2-10
Figure 2-6	2030 Alternative 2 Daily Traffic Projections.....	2-12
Figure 2-7	2030 Alternative 2 Daily Traffic Projections (continued) .....	2-13
Figure 2-8	2030 Alternative 2 Daily Traffic Projections at Grand Avenue .....	2-14
Figure 2-9	2030 Alternative 3 Daily Traffic Projections.....	2-15
Figure 2-10	2030 Alternative 3 Daily Traffic Projections (continued) .....	2-16
Figure 2-11	2030 Alternative 3 Daily Traffic Projections at Grand Avenue .....	2-17
Figure 2-12	No Build Daily Traffic Projections.....	2-18
Figure 3-1	Alternative Alignments.....	3-4
Figure 3-2	Southern Alignment Option.....	3-5
Figure 4-1	Northern Parkway/SR 303L System Interchange Recommended Configuration (DCR).....	4-2
Figure 4-2	Interim Connection Between Northern Parkway and SR 303L.....	4-3
Figure 4-3	115 <sup>th</sup> Avenue to 103 <sup>rd</sup> Avenue – Option 1 .....	4-13
Figure 4-4	115 <sup>th</sup> Avenue to 103 <sup>rd</sup> Avenue – Option 2 .....	4-15
Figure 4-5	103 <sup>rd</sup> Avenue to 91 <sup>st</sup> Avenue – Proposed Concept .....	4-18
Figure 4-6	Grand Avenue Proposed Concept.....	4-22
Figure 5-1	Proposed Northern Parkway Drainage Improvements – West .....	5-25
Figure 5-2	Proposed Northern Parkway Drainage Improvements – Central.....	5-27
Figure 5-3	Proposed Northern Parkway Drainage Improvements – East.....	5-30
Figure 5-4	Land Subsidence in Part of the Western Salt River Valley, 1957-1991 .....	5-71

### LIST OF APPENDICES

- A Northern Parkway Location Selection Technical Memorandum
- B Northern Parkway Alternatives – 115<sup>th</sup> Avenue to 103<sup>rd</sup> Avenue
- C Northern Parkway Implementation Strategies
- D Northern Parkway Alternatives – 103<sup>rd</sup> Avenue to 91<sup>st</sup> Avenue
- E Northern Parkway Alternative 1 Estimated Project Cost
- F Northern Parkway Alternative 2 Estimated Project Cost
- G Northern Parkway Alternative 3 Estimated Project Cost



## EXECUTIVE SUMMARY

The Northern Parkway is a planned regional transportation facility that extends approximately 12 miles from SR 303L (Estrella Freeway or Loop 303) to US 60 (Grand Avenue) and will replace Northern Avenue for a portion of this distance. The project was first conceived by the Glendale Citizens Advisory Committee for Transportation Issues in 2001 during the preparation of the Glendale Transportation Plan. Since then, it was included in ballot initiatives for funding and approved by the voters in Glendale in 2001, Proposition 400 county-wide vote in 2004, and Peoria in 2005. The project is included in the Regional Transportation Plan (RTP) prepared by the Maricopa Association of Governments (MAG), the Maricopa County Major Streets and Routes Plan, the Glendale Transportation Plan, and in the Glendale General Plan Amendment (December 21, 2005).

A committee was formed comprised of staffs from Glendale, Peoria, Maricopa County, El Mirage, Arizona Department of Transportation (ADOT), and Luke Air Force Base (AFB). A Design Concept Report was prepared and published in 2003. Since that time, and with the regional funding approved through Proposition 400, this revised and updated Design Concept Report was prepared. In cooperation with the Federal Highway Administration (FHWA), an Environmental Assessment (EA) is being completed for the project so that federal funds may be used for the project. The Final DCR has been prepared to be consistent with the Final EA.

The proposed Northern Parkway will be an enhanced arterial street. The enhanced arterial street has grade-separated intersections (GSI) at major cross streets to eliminate the major traffic signals on Northern Parkway (see Figure ES-1). The resulting roadway would have approximately twice the traffic-carrying capacity of a typical arterial and would enable traffic to average speeds of 45 miles per hour (mph) as compared to typical arterials with average speeds between 25 and 35 mph. Northern Parkway would provide a much-needed higher speed, higher-capacity east-west route in the central portion of the West Valley where no freeways are planned. Interstate 10 (I-10) is 6 miles to the south, and SR 101L/Agua Fria Freeway (Loop 101) (east-west portion) is 8 miles to the north. The Northern Parkway will link central Glendale and southern Peoria to the rapidly developing far West Valley.

### **Selection of the Northern Avenue Corridor**

Northern Avenue is one of only a few continuous east-west streets from Grand Avenue to Loop 303. It is strategically located on the boundary between Glendale and the cities of Peoria and El Mirage. It is equidistant between I-10 and Bell Road, and it lies near Luke AFB. There is less existing urban development adjacent to Northern Avenue than other streets. The Northern Parkway, when combined with eight recently constructed grade separations on Grand Avenue and three more planned (at 51<sup>st</sup> Avenue, 35<sup>th</sup> Avenue, and 19<sup>th</sup> Avenue), will create a new, high-

capacity corridor, connecting the West Valley area of the Phoenix metropolitan area (West of I-10) from Loop 303 to central Phoenix. Several alternative corridor alignments were identified and evaluated between Glendale and Olive Avenues. The Northern Avenue corridor shifting to the Butler Drive mid-section line west of Dysart Road was found to be the best overall alignment.

### **Purpose and Need for Northern Parkway**

The Northern Parkway Management Committee built on work by the Glendale CACTI group and confirmed the following needs for Northern Parkway:

- Serve population growth in the West Valley.
- Improve travel time between SR 303L and US 60 (Grand Avenue).
- Provide regional connectivity to other regional facilities in the area including SR 303L, SR 101L, and US 60.
- Improve regional facility transportation spacing in the area as it develops.
- Provide an additional Agua Fria River bridged crossing to ensure safe, reliable access at all times to the growing area west of the Agua Fria River.
- Improve east-west street traffic flow by providing a free flow route that can accommodate a large amount of traffic to compensate for the limited street network.
- Implement regional and local plans to improve traffic flow in the West Valley.
- Reduce accident rates by reducing the number of traffic signals and access points.

### **Alternatives Considered**

Many options were considered along the 12-mile corridor to best meet the purpose and need for Northern Parkway. These options were combined over the 12-mile corridor to form four alternatives as follows:

- Alternative 1 – Northern Avenue Alignment Option 1 (with two traffic signals)
- Alternative 2 – Northern Avenue Alignment Option 2 (no traffic signals)
- Alternative 3 – Southern Alignment
- No Build Alternative

These alternatives are developed, described, evaluated and compared in Section 4 of the DCR and in Section 3 the EA.

## Selected Concept

Alternative 1 was determined to meet the purpose and need the best. An important feature of the selected Northern Parkway concept is the inclusion of 10 Grade Separated Intersections (GSI) at north-south arterials. At GSI locations, Northern Parkway would be elevated over the intersecting arterial, which remains at grade except for Litchfield Road. The GSI would allow Northern Parkway to be free flow at these locations. The ramp connections from/to the parkway would have a signalized intersection with the arterial.

Northern Parkway will have three continuous through lanes in each direction plus an auxiliary lane between GSIs connecting an on-ramp from one GSI to the off-ramp of the next GSI. A concrete barrier median will be provided throughout most of the project (Sarival Avenue to 112<sup>th</sup> Avenue and on all GSI) but some areas will have a landscaped median (112<sup>th</sup> to 103<sup>rd</sup> avenues and between the GSI's at 91<sup>st</sup>, 83<sup>rd</sup>, and 75<sup>th</sup>). Figure ES-1 illustrates an elevated GSI. Figure ES-2 provides an overview of the proposed 12-mile long project.

**Loop 303 Connection.** A fully directional free flow “T” interchange has been proposed for Northern Parkway at Loop 303. The interchange is expected to be a part of the Loop 303 project and built by ADOT so its costs are not included in this study. The interchange is located at the mid point between Northern and Olive Avenues at the Butler Drive mid-section location.

**Sarival to Dysart.** The Northern Parkway project begins at the Sarival Avenue section line and continues eastward along the Butler Drive alignment to Litchfield Road. It will then swing southeasterly to the Northern Avenue alignment at Dysart Road and continue along this alignment to US 60 (Grand Avenue). Northern Parkway will be fully access controlled from Loop 303 to 115<sup>th</sup> Avenue. Full shoulders will be provided along with a median barrier. A drainage channel will be constructed along the northern side of the parkway to intercept offsite overland flows and to convey the storm runoff to various outfalls. Some of these facilities will be jointly funded by the Flood Control District of Maricopa County (FCDMC).

Working with Luke AFB, the Butler Drive alignment was chosen to move Northern Parkway away from the north end of the runways. In addition, special design features were incorporated into the Litchfield Road GSI. Litchfield Road will be constructed below ground so that the height of the bridge structure for the parkway over Litchfield Road will be lower than other GSI structures for Northern Parkway.



FIGURE ES-1  
PROTOTYPE GRADE SEPARATED INTERSECTION




FIGURE ES-2  
OVERVIEW OF THE NORTHERN PARKWAY CONCEPT

**Dysart to 115<sup>th</sup> Avenue.** Frontage roads are planned between Dysart Road and El Mirage Road to accommodate expected truck traffic from the developing industrial uses. In addition, alternative access streets are planned at 127<sup>th</sup> Avenue and Butler Drive.

A major new bridge is planned at the Agua Fria River at the existing dip crossing area. A master plan for channelizing the river has been prepared by FCDMC and its implementation is dependent upon participation by the sand and gravel extraction operations in the general flood plain area. Timing for the bridge construction is planned to coincide with the river channelization. If an agreement is not achieved, the Northern Parkway partners would cost share with FCDMC to channelize a portion of the river and build the bridge.

**115 Avenue to 103<sup>rd</sup> Avenue.** Traffic signals at 111<sup>th</sup> and 107<sup>th</sup> avenues would be provided to facilitate neighborhood access. The signals would have left-turn phases for Northern Parkway traffic. No left turns would be permitted anywhere on the parkway other than at these two signals. Four neighborhood connector streets would be constructed in this segment to aid restoration of access to all the neighborhoods. Curbs, gutters, sidewalks, street lighting and landscaping will be provided. After these improvements are completed, studies would be undertaken to address any additional improvements that may be needed to meet the needs of the neighborhoods and the motoring public.

**103<sup>rd</sup> Avenue to 91<sup>st</sup> Avenue.** Between 103<sup>rd</sup> and 91<sup>st</sup> avenues, a unique configuration was developed that includes maintaining a portion of Northern Avenue to provide access to properties and to Loop 101. A separate fully access controlled bypass will be provided for Northern Parkway that will be aligned to the south of Northern Avenue. The bypass will be elevated over 99<sup>th</sup> Avenue, 97<sup>th</sup> Avenue, Loop 101, 93<sup>rd</sup> Avenue, and 91<sup>st</sup> Avenue and depressed under 103<sup>rd</sup> Avenue. It will have three lanes in each direction plus an auxiliary lane between the ramps.

The existing Northern Avenue between 103<sup>rd</sup> and 99<sup>th</sup> and between Loop 101 east ramp intersection and 91<sup>st</sup> Avenue will be modified so that eastbound traffic would be accommodated on a new 3-lane roadway south of the bypass while the westbound traffic would use the existing Northern Avenue modified to allow 3 through lanes.

Between 99<sup>th</sup> Avenue and the east ramps of Loop 101, Northern Avenue will be widened to 3 lanes in each direction plus dual left turn lanes. Northern Avenue not the bypass would be used to access Loop 101. The bypass will carry at least half of the future east-west traffic so that the widened Northern Avenue at Loop 101 can accommodate the remainder of the traffic.

**91<sup>st</sup> Avenue to 71<sup>st</sup> Avenue.** From 91<sup>st</sup> Avenue to 71<sup>st</sup> Avenue, Northern Parkway will replace Northern Avenue. GSI are planned at 83<sup>rd</sup> and 75<sup>th</sup> avenues. No traffic signals are planned on Northern Parkway in this area. Three neighborhood connector streets are planned to restore full

access: (1) for Rovey Estates to 91<sup>st</sup> Avenue; (2) between 87<sup>th</sup> and 83<sup>rd</sup> avenues 0.25 mile north of Northern Avenue; and (3) for the Salt River Project (SRP) Agua Fria Generating Station. Curbs, gutters, sidewalks, street lighting and landscaping will be provided.

**Grand Avenue Connection.** At US 60 (Grand Avenue), a direct flyover ramp is planned to connect the west leg (Northern Parkway) to the southeast leg of Grand Avenue. Eastbound traffic on Northern Parkway can use this flyover to move uninterrupted to Grand Avenue. The reverse movement can also be made on this flyover. The flyover would be in the median of Northern Parkway and of Grand Avenue.

Northern Avenue will continue eastward from the beginning of the Grand Avenue flyover (71<sup>st</sup> Avenue) to connect with Grand Avenue at the signalized intersection as it does today. Northern Avenue would be widened at the intersection to provide four through lanes in each direction and a westbound right-turn lane. All left turns at this intersection would be prohibited but be accommodated by the existing or planned connector streets.

**Function/ROW/Utilities.** Northern Parkway is planned as a major traffic thoroughfare so that bicycles and local bus service are discouraged along this roadway. Parallel routes are available.

The right-of-way required for the planned Northern Parkway varies from 435 feet on the western portion where a drainage channel is required to a minimum of 140 feet between GSI on the eastern end. Along the eastern portion GSI are designed to fit in 255 feet of right-of-way. Glendale and Peoria are actively preserving right-of-way as development plans are presented or hardship cases arise.

Construction of Northern Parkway selected alternative will require the relocation of approximately 28 houses and 9 businesses.

The project will require extensive relocation of utilities to accommodate the GSI. The utilities will be located along the ramp connectors associated with the GSI. A major natural gas facility at 109<sup>th</sup> Avenue will require relocation and it is conceptually planned to close a portion of 109<sup>th</sup> Avenue to provide a place for this relocation.

## **Cost/Funding**

Based on recent unit prices, construction of the Northern Parkway is projected to cost a total of \$496.8 million (2009 dollars) (see Chapter 6 and Appendix E). Engineering cost is estimated to be \$39.7 million and right-of-way is estimated at \$76.1 million for a total project cost of \$612.6 million. The inflated cost estimate based on construction being complete in 2035 would range from \$974 million to \$1.053 billion.

The Northern Parkway is included in the MAG RTP as an Arterial Life Cycle Program (ALCP) project. The regional funds provided through Proposition 400 would provide a maximum 70 percent of the project cost or the set reimbursement budget established in the RTP whichever is less. The remaining 30 percent of the project costs would be local match provided by Glendale, MCDOT, Peoria, and El Mirage. The regional funds are identified as federal STP-MAG funds in the ALCP. The current cost estimate (\$612.6 million) exceeds the amount set in the 2010 ALCP (\$228.0 million) plus local match (\$97.7 million) and other funding (\$14.2 million) so completion of the final stages of the Northern Parkway may require additional funding or be completed after the current RTP.

## **Schedule**

The completion of Parkway is phased in the MAG RTP. The RTP has \$59.585 million earmarked for Phase 1 (2009 to 2011); \$83.420 million in Phase 3 (2016 to 2020) and \$84.969 million in Phase 4 (2021 to 2025). These funds are in 2009 dollars. A construction phasing plan has been reviewed and accepted by the Northern Parkway Executive committee for the funded portion of the project (see Appendix C). In the first phase, at grade interim construction is planned from Sarival Avenue to Dysart Road including ultimate right-of-way for this portion of the parkway. The interim improvements consisting of 2 lanes in each direction are extended to 112<sup>th</sup> Avenue in Phase 2 along with GSI at Sarival Avenue, Reems Road, and Litchfield Road plus the Agua Fria River half bridge. Additional GSI would be constructed in Phase 3 including Dysart Road and El Mirage Road. Improvements to Northern Parkway from 112<sup>th</sup> Avenue to 103<sup>rd</sup> Avenue are included in Phase 4 along with Northern Avenue street improvements from 103<sup>rd</sup> to 91<sup>st</sup> avenues. Interim intersection improvements at Northern Avenue and 91<sup>st</sup>, 83<sup>rd</sup>, 75<sup>th</sup> and Grand avenues are also included in Phase 4. Construction of other improvements between Loop 101 and Grand Avenue and the Northern Parkway bypass from 103<sup>rd</sup> to 91<sup>st</sup> avenues would occur after 2025.

## **Public and Agency Involvement**

In 2002, a committee was formed to begin the development of the concept for the Northern Parkway. A design concept report was published in October 2003. After passage of Proposition 400, the committees were reformed as the Northern Parkway Executive Committee. Voting members (partners) of this committee consist of El Mirage, Glendale, MCDOT, and Peoria. Non voting members include ADOT, MAG, Luke AFB, and FCDMC.

Public meetings specifically addressing the Northern Parkway were held in February and July 2003 and in June and December 2005. An agency scoping meeting was held in February 2005. Meetings with individual neighborhoods were held in January through March 2006. A public hearing was held on the draft environmental assessment on October 14, 2009.